Oracle 12.2: Special Browser Instructions to Initiate Forms/Processes

MICROSOFT EDGE

1) When you log into EBS and choose a form to open (for example, EIT Process or Project Status), you will be prompted to open a file called frmservlet.jnlp at the top right-hand corner of your screen

Tulane			Downloads	∟ ⊂ … ∻
University E-Business Suite			frmservlet (16) jnlp was blocked because this type of file can harm your device.	
Enterprise Search Contract Documents V Go Search Results Display Preference Standard V		See more		
Home			1	,
TAMS Datastore Reports Scheduler	Worklist			
TAMS EIT Admin GUI	Full List			
IAMS EIT Application GUI EIT Process	•••			
Personal Worklist	From Type Subject Sent Due			
Requests	There are no notifications in this view.			

2) Hover over the file name until you see the three dots on the right side of the message



3) Click the three dots to open the drop-down selection shown below and choose "Keep"



4) Click "Open file" to initiate Java which will then automatically open your form

Downloads Downloads Downloads Downloads Provide (16).jnlp Download Downloa
frmservlet (16).jnlp
See more

GOOGLE CHROME

 When you log into EBS and choose a form to open (for example, EIT Process or Project Status), you will be prompted to open a file called frmservlet.jnlp at the bottom left-hand corner of your screen



2) Click the Keep button

TAMS EIT Application GUI	📰 Post Journals (G
EIT Process	Concurrent (TAM
 Personal Worklist Requests 	📰 Aliases (General
This type of file can harm your computer. Do you want to keep frmservlet (15).jnlp anyway?	Discard

3) Double-click on the file name to initiate Java which will then automatically open your form



MOZILLA FIREFOX

- 1) Before using Oracle EBS 12.2 in Firefox, you will need to make a simple adjustment to your browser settings; this is a one time process that will allow you to open EBS forms in Firefox without having to save the frmservlet file each time you start a session
- 2) Click on the Application Menu (three horizontal lines) at the top right hand corner of the browser screen; click Options from the dropdown menu



3) Under the "General" category, scroll down to the "Applications" section



4) Under "Content Type," click on JNLP File, then click on the drop down menu next to it in the "Action" column; choose "Use Java[™] Web Launcher (default)," then exit the dialogue box



5) The Firefox setting changes detailed above are a one time process that will allow you to open EBS forms in Firefox without having to save the frmservlet file each time you start a session

<u>NOTE</u>: You will receive a warning box each time you start a new session; simply click OK to initiate Java which will automatically open your form

	FULLIST	
Oper	Executable File?	\times
?	"frmservlet.jnlp" is an executable file. Executable files may contain viruses or other malicious code that could harm your computer. Use caution when opening this file. Are you sure you want to launch "frmservlet.jnlp"? OK Cancel	

INTERNET EXPLORER

No setup is needed. Just log into Oracle EBS and start up a forms session.